



# METAL CABINETS


D series




Monoblock  
Structure



Special  
Design Curved  
Glass Door



Pure Material for  
high quality sealing



## Product Parts

1	Structure
2.1	Cable entry point
2.2	With brush style entry point
3.1	Flat blank door
3.2	Flat glass door
3.3	Curved glass door
4	Mounting plate
5	Din rail frame
6.1	Din rail set
6.2	Blank cover
7	Vertical modular part
8	Accessory for the depth adjustment
9	Blank plate
10	Cable ducts fixing accessory
11	Wall mounting accessory

Floor Mounting & Surface Mounting Cabinets

# CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting




## Technical Characteristic

- From 48 to 264 Modules
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Triangle Lock System




CPD Surface Distribution Cabinets with Din Rail Accessory + Blank cover h:200 mm

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUMP	600x600x200	48M { 24x2 rows } + Blank Cover	1
CPD 6007520 SUMP	600x750x200	72M { 24x3 rows } + Blank Cover	1
CPD 6009020 SUMP	600x900x200	96M { 24x4 rows } + Blank Cover	1
CPD 6010520 SUMP	600x1050x200	120M { 24x5 rows } + Blank Cover	1
CPD 6012025 SUMP	600x1200x250	144M { 24x6 rows } + Blank Cover	1
CPD 6015025 SUMP	600x1500x250	192M { 24x8 rows } + Blank Cover	1
CPD 6018025 SUMP	600x1800x250	240M { 24x10 rows } + Blank Cover	1



CPD Surface Distribution Cabinets with Din Rail Accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUMS	600x600x200	72M { 24x3 rows }	1
CPD 6007520 SUMS	600x750x200	96M { 24x4 rows }	1
CPD 6009020 SUMS	600x900x200	120M { 24x5 rows }	1
CPD 6010520 SUMS	600x1050x200	144M { 24x6 rows }	1
CPD 6012025 SUMS	600x1200x250	168M { 24x7 rows }	1
CPD 6015025 SUMS	600x1500x250	216M { 24x9 rows }	1
CPD 6018025 SUMS	600x1800x250	264M { 24x11 rows }	1



# CURVED SAFETY GLASS DOOR CABINETS

floor mounting & surface mounting



## Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System

### CPD Surface Distribution Cabinets with Mounting Plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006020 SUM	600x600x200	Mounting Plate	1
CPD 6007520 SUM	600x750x200	Mounting Plate	1
CPD 6009020 SUM	600x900x200	Mounting Plate	1
CPD 6010520 SUM	600x1050x200	Mounting Plate	1
CPD 6012025 SUM	600x1200x250	Mounting Plate	1
CPD 6015025 SUM	600x1500x250	Mounting Plate	1
CPD 6018025 SUM	600x1800x250	Mounting Plate	1



### Complementary Items

Code	Din Modules	Pack
CP 12011	Terminal Blocks - 24M	1
CP 12012	Terminal Blocks - 36M	1
CPD606024	24M Din Rail Kit - 150mm.Height	1
CPD606025	24M Din Rail Kit - 200mm.Height	1
CPD606034	Blank Module Cover - 150mm.Height	1
CPD606035	Blank Module Cover - 200mm.Height	1
CPD606034M	Mounting Plate for CP606034	1
CPD606035M	Mounting Plate for CP606035	1
CPD606044	Base Plate for Floor Installation - 20 cm	1
CPD606054	Base Plate for Floor Installation - 25cm	1
CPD606056	Cable Entry Plate with Brush Style - 25cm	1
CPD606046	Cable Entry Plate with Brush-Style - 20 cm	1
CPD606045	Metal Lock Set For CPD range	1



CP 12012



CPD606024



CPD606034



CPD606034M



CPD606044



CPD606045



CPD606046

# CURVED SAFETY GLASS DOOR CABINETS

▶ floor mounting & surface mounting



## Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm



### CPD - Surface Mounting Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUM	400x500x150	Mounting Plate	1
CPD 4006515 SUM	400x650x150	Mounting Plate	1
CPD 4505015 SUM	450x500x150	Mounting Plate	1
CPD 4506515 SUM	450x650x150	Mounting Plate	1



### CPD Surface Mounting Distribution Cabinets with Din rail Accessory + Blank Cover

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUPP	400x500x150	30M (15x2 rows)	1
CPD 4006515 SUPP	400x650x150	45M (15x3 rows)	1
CPD 4505015 SUPP	450x500x150	34M (17x2 rows)	1
CPD 4506515 SUPP	450x650x150	51M (17x3 rows)	1



### CPD Surface Distribution Cabinets - with Din Rail Accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005015 SUPS	400x500x150	45M (15 x 3 rows)	1
CPD 4006515 SUPS	400x650x150	60M (15 x 4 rows)	1
CPD 4505015 SUPS	450x500x150	51M (17 x 3 rows)	1
CPD 4506515 SUPS	450x650x150	68M (17 x 4 rows)	1

# CURVED SAFETY GLASS DOOR CABINETS

flush mounting



## Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System



### CPD Flush Mounting Distribution Cabinets with Mounting Plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006010 SAM	600x600x100	Mounting Plate	1
CPD 6007510 SAM	600x750x100	Mounting Plate	1
CPD 6009010 SAM	600x900x100	Mounting Plate	1
CPD 6010510 SAM	600x1050x100	Mounting Plate	1



### CPD Flush Mounting Distribution Cabinets with Din Rail Accessory + Blank Cover h : 200mm

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006010 SAPP	600x600x100	66M [22x3 rows]	1
CPD 6007510 SAPP	600x750x100	88M [22x4 rows]	1
CPD 6009010 SAPP	600x900x100	110M [22x5 rows]	1
CPD 6010510 SAPP	600x1050x100	132M [22 x 6 rows]	1



### CPD - Flush Mounting Distribution Cabinets - with Din Rail Accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 6006010 SAPS	600x600x100	72M [22x4 rows]	1
CPD 6007510 SAPS	600x750x100	110M [22x5 rows]	1
CPD 6009010 SAPS	600x900x100	132M [22x6 rows]	1
CPD 6010510 SAPS	600x1050x100	154M [22x7 rows]	1

# CURVED SAFETY GLASS DOOR CABINETS

flush mounting



## Technical Characteristic

- Usage for installation of electrical instruments
- Easy and Fast Installation
- Wide Space for the Cabling
- Pre-Drilled Entries For an Easy Installation
- Tempered Glass Door
- Thickness is 1.20 mm
- Triangle Lock System



### CPD - Flush Mounting -Distribution Cabinets - with mounting plate

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005010 SAM	400x500x100	Mounting Plate	1
CPD 4006510 SAM	400x650x100	Mounting Plate	1
CPD 4505010 SAM	450x500x100	Mounting Plate	1
CPD 4506510 SAM	450x650x100	Mounting Plate	1



### CPD - Flush Mounting Distribution Cabinets with Din rail accessory + Blank Cover

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005010 SAPP	400x500x100	30m (15x2 rows )	1
CPD 4006510 SAPP	400x650x100	45M (15x3 rows)	1
CPD 4505010 SAPP	450x500x100	34M (17x2 rows)	1
CPD 4506510 SAPP	450x650x100	51M (17x3 rows)	1



### CPD Flush Mounting Distribution Cabinets with Din Rail Accessory

Code	Dimension (WxHxD)	DIN Rail Modules	Pack
CPD 4005010 SAPS	400x500x100	30M (15x2 rows)	1
CPD 4006510 SAPS	400x650x100	45M (15x3 rows)	1
CPD 4505010 SAPS	450x500x100	34M (17x2 rows)	1
CPD 4506510 SAPS	450x650x100	51M (17x3 rows)	1